

**IEEE Xplore®**
RELEASE 1.8Welcome
United States Patent and Trademark Office**IEEE Xplore®**
1 Million Documents
1 Million Users
...And Growing
» Search Results[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **2** of **1131693** documents.A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.**Refine This Search:**

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:****JNL** = Journal or Magazine **CNF** = Conference **STD** = Standard**1 Virtual Java/FPGA interface for networked reconfiguration***Yajun Ha; Vanmeerbeeck, G.; Schaumont, P.; Vernalde, S.; Engels, M.; Lauwereins, R.; De Man, H.;*

Design Automation Conference, 2001. Proceedings of the ASP-DAC 2001. Asia and South Pacific, 30 Jan.-2 Feb. 2001

Pages:558 - 563

[\[Abstract\]](#) [\[PDF Full-Text \(436 KB\)\]](#) **IEEE CNF****2 Adaptive solid texturing for Web3D applications***Bing-Yu Chen; Nishita, T.;*

Computer Graphics and Applications, 2002. Proceedings. 10th Pacific Conference on, 9-11 Oct. 2002

Pages:433 - 434

[\[Abstract\]](#) [\[PDF Full-Text \(312 KB\)\]](#) **IEEE CNF** **Print Format**[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)


Copyright © 2004 IEEE — All rights reserved



IEEE Xplore®

RELEASE 1.8

Welcome
United States Patent and Trademark Office


[Help](#) [FAQ](#) [Terms](#) [IEEE Peer Review](#)
[Quick Links](#)

Welcome to IEEE Xplore®

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Print Format

Your search matched **12** of **1131693** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance** in **Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set

Results Key:

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 Design space exploration with A Stream Compiler

Mencer, O.; Pearce, D.J.; Howes, L.W.; Luk, W.;

Field-Programmable Technology (FPT), 2003. Proceedings. 2003 IEEE International Conference on , 15-17 Dec. 2003

Pages:270 - 277

[\[Abstract\]](#) [\[PDF Full-Text \(532 KB\)\]](#) **IEEE CNF**

2 Bitwidth cognizant architecture synthesis of custom hardware accelerators

Mahlke, S.; Ravindran, R.; Schlansker, M.; Schreiber, R.; Sherwood, T.;

Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on , Volume: 20 , Issue: 11 , Nov. 2001

Pages:1355 - 1371

[\[Abstract\]](#) [\[PDF Full-Text \(376 KB\)\]](#) **IEEE JNL**

3 HAM-a hardware accelerator for multi-layer wire routing

Venkateswaran, R.; Mazumder, P.;

Computer-Aided Design, 1989. ICCAD-89. Digest of Technical Papers., 1989 IEEE International Conference on , 5-9 Nov. 1989

Pages:440 - 443

[\[Abstract\]](#) [\[PDF Full-Text \(416 KB\)\]](#) **IEEE CNF**

4 A dedicated image processor exploiting both spatial and instruction-level parallelism

Broggi, A.; Bertozzi, M.; Conte, G.; Gregoretti, F.; Passerone, R.; Sansoe, C.;
Reyneri, L.M.;

Computer Architecture for Machine Perception, 1997. CAMP '97. Proceedings Fourth IEEE International Workshop on , 20-22 Oct. 1997

Pages:106 - 115

[\[Abstract\]](#) [\[PDF Full-Text \(932 KB\)\]](#) **IEEE CNF**

5 Reconfigurable hardware accelerator for a universal Reed Solomon codec

Roy, S.; Bucker, M.; Wilhelm, W.; Panwar, B.S.;
Circuits and Systems for Communications, 2002. Proceedings. ICCSC '02. 1st IEEE International Conference on , 26-28 June 2002
Pages:158 - 161

[\[Abstract\]](#) [\[PDF Full-Text \(463 KB\)\]](#) IEEE CNF

6 Statistics on concurrent fault and design error simulation

Grayson, B.; Shaikh, S.A.; Szygenda, S.A.;
Computer Design: VLSI in Computers and Processors, 1995. ICCD '95. Proceedings., 1995 IEEE International Conference on , 2-4 Oct. 1995
Pages:622 - 627

[\[Abstract\]](#) [\[PDF Full-Text \(584 KB\)\]](#) IEEE CNF

7 System-level verification of CDMA modem ASIC

Gyeong Lyong Park; Kyung Hi Chang; Jaeseok Kim; Kyungsoo Kim;
Design Automation Conference, 1995. Proceedings of the ASP-DAC '95/CHDL '95/VLSI '95., IFIP International Conference on Hardware Description Languages; IFIP International Conference on Very Large Scale Integration., Asian and South Pacific , 29 Aug.-1 Sept. 1995
Pages:177 - 182

[\[Abstract\]](#) [\[PDF Full-Text \(440 KB\)\]](#) IEEE CNF

8 Reconfigurable pipelined 2-D convolvers for fast digital signal processing

Bosi, B.; Bois, G.; Savaria, Y.;
Very Large Scale Integration (VLSI) Systems, IEEE Transactions on , Volume: 7 , Issue: 3 , Sept. 1999
Pages:299 - 308

[\[Abstract\]](#) [\[PDF Full-Text \(588 KB\)\]](#) IEEE JNL

9 A hexagonal array machine for multilayer wire routing

Venkateswaran, R.; Maxumder, P.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on , Volume: 9 , Issue: 10 , Oct. 1990
Pages:1096 - 1112

[\[Abstract\]](#) [\[PDF Full-Text \(1364 KB\)\]](#) IEEE JNL

10 Unlocking the design secrets of a 2.29 Gb/s Rijndael processor

Schaumont, P.R.; Kuo, H.; Verbauwhede, I.M.;
Design Automation Conference, 2002. Proceedings. 39th , 10-14 June 2002
Pages:634 - 639

[\[Abstract\]](#) [\[PDF Full-Text \(650 KB\)\]](#) IEEE CNF

11 PCI-PipeRench and the SWORDAPI: a system for stream-based reconfigurable computing

Laufer, R.; Taylor, R.R.; Schmit, H.;
Field-Programmable Custom Computing Machines, 1999. FCCM '99. Proceedings. Seventh Annual IEEE Symposium on , 21-23 April 1999
Pages:200 - 208

[\[Abstract\]](#) [\[PDF Full-Text \(76 KB\)\]](#) IEEE CNF

12 System design, optimization and intelligent code generation for standard digital signal processors

Genin, D.; De Moortel, J.; Desmet, D.; Van de Velde, E.;

Circuits and Systems, 1989., IEEE International Symposium on , 8-11 May 1989

Pages:565 - 569 vol.1

[\[Abstract\]](#) [\[PDF Full-Text \(320 KB\)\]](#) IEEE CNF

[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC](#)
[Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved


 Interface language:

Databases selected: Multiple databases...

[New scholarly features & content!](#)
Results – powered by ProQuest® Smart Search


[Suggested Topics](#) [About](#)
[< Previous](#) | [Next >](#)
[Browse Suggested Publications](#) [About](#)
[< Previous](#) | [Next >](#)
[Computer peripherals AND Java](#)
[M2 Presswire; Coventry](#)
[Java](#)
[eWeek; New York](#)
[Java AND Sun Microsystems Inc \(company/org\)](#)
[InfoWorld; San Mateo](#)
[Java AND Software industry](#)























 43 documents found for: *hardware accelerator and Java* [SetupAlert](#) [About](#)
[All sources](#) | [Scholarly Journals](#) | [Trade Publications](#) | [Newspapers](#)
☐ [Mark / Clear all on page](#) | [View marked documents](#)
☐ [Show all documents](#)

 Sort results by:


-
- ☐ 1. **[Accelerated Technology's Nucleus RTOS Support for Texas Instruments' OMAP1710 Platform Benefits Cellular Handset Applications Developers](#)**
 Business Wire. New York: Feb 9, 2005. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 2. **[HelloSoft Brings Enhanced VoIP Capabilities to the Texas Instruments OMAP Platform](#)**
 Business Wire. New York: Oct 20, 2004. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 3. **[Q1 2005 MIPS Technologies Earnings Conference Call - Final](#)**
 Fair Disclosure Wire. Lanham: Oct 20, 2004. p. n/a
[Full text](#) [Abstract](#)
-
- ☐ 4. **[Highest Java\(TM\) Performance Achieved by the MIPS32\(R\) 24Kc\(TM\) Core](#)**
 PR Newswire. New York: Aug 2, 2004. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 5. **[One PROCESSOR, Two PROCESSOR, Three PROCESSOR, More?](#)**
 Anonymous. EDN. Boston: Apr 1, 2004. Vol. 49, Iss. 7; p. P6 (2 pages)
[Text+Graphics](#) [Page Image - PDF](#) [Citation](#)
-
- ☐ 6. **[Texas Instruments Unveils Applications Processor for Cell Phones](#)**
 Wireless News. Coventry: Dec 30, 2003. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 7. **[Texas Instruments Announces Newest OMAP\(TM\) Processor, the Wireless Industry's First Applications Processor Developed With Advanced 90 Nanometer Technology](#)**
 PR Newswire. New York: Dec 11, 2003. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 8. **[on the Wireless FRONT](#)**
 Anonymous. Wireless Systems Design. Cleveland: Nov/Dec 2003. Vol. 8, Iss. 9; p. 56
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
9. **[Graphics processor brings multimedia and video capture to handhelds](#)**

- ☐ Dave Bursky. **Electronic Design**. Cleveland: Oct 13, 2003. Vol. 51, Iss. 22; p. 30
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 10. **Renesas Technology's SH-Mobile Application Processor Enables New Audio/Video Features and Offers 3D Gaming Platform for Mobile Phones**
Business Editors/High-Tech Writers. **Business Wire**. New York: Oct 6, 2003. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 11. **Two to share mobile phone chip technology**
Anthony Cataldo. **EBN**. Manhasset: Sep 22, 2003. p. 12
[Full text](#) [Abstract](#)
-
- ☐ 12. **Multimedia needs multiprocessor SoCs**
Avner Goren. **Electronic Engineering Times**. Manhasset: Jul 7, 2003. p. 51
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 13. **FPV: fast protein visualization using Java 3DTM**
Tolga Can, Yujun Wang, Yuan-Fang Wang, Jianwen Su. **Bioinformatics**. Oxford: May 22, 2003. Vol. 19, Iss. 8; p. 913
[Article image - PDF](#) [Abstract](#)
-
- ☐ 14. **Accelerator emphasizes memory interface**
John Blyler. **Wireless Systems Design**. Cleveland: Apr 2003. Vol. 8, Iss. 3; p. 45 (1 page)
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 15. **Java accelerator, memories blend for cell phones**
Rick Merritt. **Electronic Engineering Times**. Manhasset: Feb 17, 2003. p. 18 (2 pages)
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 16. **Media controller targets midtier mobile phones**
Robert Keenan. **Electronic Engineering Times**. Manhasset: Nov 18, 2002. p. 39 (1 page)
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 17. **QUALCOMM's WCDMA/GSM/GPRS Multimode Solution Features Integration of Advanced Multimedia Technologies and Position Location Capabilities**
PR Newswire. New York: Nov 12, 2002. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 18. **Lawsuit Filed Against ARM Could Affect Java Use In Handhelds**
Darrell Dunn. **EBN**. Manhasset: Jun 3, 2002. p. 10
[Full text](#) [Abstract](#)
-
- ☐ 19. **Meeting embedded needs with Java**
William Wong. **Electronic Design**. Cleveland: May 13, 2002. Vol. 50, Iss. 10; p. 56 (2 pages)
[Text+Graphics](#) [Page Image - PDF](#) [Abstract](#)
-
- ☐ 20. **EEMBC Publishes Certified Consumermark(TM) Scores For ARC International's ARCTangent-A4 Processor**
PR Newswire. New York: Mar 12, 2002. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 21. **EEMBC Scores Now Available for LSI Logic LSI402ZX, First Superscalar DSP to Receive Certified Benchmark Evaluation**
PR Newswire. New York: Mar 11, 2002. p. 1
[Full text](#) [Abstract](#)
-
- ☐ 22. **EEMBC Unveils Its First Benchmarks for 8- and 16-Bit Microcontrollers**
PR Newswire. New York: Feb 26, 2002. p. 1

 [Full text](#) [Abstract](#)

-
- ☐ 23. **Java accelerator redefines the future of cell phones**
Cheryl Ajluni. Wireless Systems Design. Cleveland: Feb 2002. Vol. 7, Iss. 2; p. 34 (2 pages)
 [Text+Graphics](#)  [Page Image - PDF](#)  [Abstract](#)
-
- ☐ 24. **Nazomi Receives Patent for Java Virtual Machine Hardware for RISC and CISC processors**
Business Editors/Technology Writers. Business Wire. New York: Jan 16, 2002. p. 1
 [Full text](#)  [Abstract](#)
-
- ☐ 25. **JVM design key to portable arena**
Spencer Horowitz. Electronic Engineering Times. Manhasset: Jul 23, 2001. p. 86 (2 pages)
 [Full text](#)  [Page Image - PDF](#)  [Abstract](#)
-
- ☐ 26. **Compact coprocessor accelerates Java on embedded processors**
William Wong. Electronic Design. Cleveland: Apr 16, 2001. Vol. 49, Iss. 8; p. 25 (2 pages)
 [Text+Graphics](#)  [Page Image - PDF](#)  [Abstract](#)
-
- ☐ 27. **Java specs game prompts calls for benchmarks**
Anthony Cataldo. Electronic Engineering Times. Manhasset: Apr 16, 2001. p. 6 (1 page)
 [Full text](#)  [Page Image - PDF](#)  [Abstract](#)
-
- ☐ 28. **Qualcomm rolls services, chips for cdma2000**
Rick Merritt. Electronic Engineering Times. Manhasset: Mar 26, 2001. p. 30 (1 page)
 [Text+Graphics](#)  [Page Image - PDF](#)  [Abstract](#)
-
- ☐ 29. **Mobile net demands optimized design**
Manish Singh. Electronic Engineering Times. Manhasset: Nov 27, 2000. p. 100 (3 pages)
 [Text+Graphics](#)  [Page Image - PDF](#)  [Abstract](#)
-
- ☐ 30. **News and New Product Briefs (June 30, 2000)**
Arden Yingling. JavaWorld. San Francisco: Jun 28, 2000. p. 1
 [Full text](#)  [Abstract](#)
-


1-30 of 43

< First | < Previous 1 2 [Next >](#)Want an alert for new results sent by email? [Set up Alert](#) [About](#)Results per page: [30](#) 

Did you find what you're looking for? If not, revise your search below or try these suggestions:


[Suggested Topics](#) [About](#)< Previous | [Next >](#)[Browse Suggested Publications](#) [About](#)< Previous | [Next >](#)[Computer peripherals AND Java](#)[M2 Presswire; Coventry](#)[Java](#)[eWeek; New York](#)[Java AND Sun Microsystems Inc \(company/org\)](#)[InfoWorld; San Mateo](#)[Java AND Software industry](#)

Basic Search

[Tools:](#) [Search Tips](#) [Browse Topics](#) [3 Recent Searches](#)[Search](#)[Clear](#)Database:  [Select multiple databases](#)

Date range:

All dates 

Limit results to: ☒ Full text documents only 

☐ Scholarly journals, including peer-reviewed  [About](#)

 [More Search Options](#)

Copyright © 2005 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)

[Text-only interface](#)

From: ProQuest
COMPANY




Interface language:



English

Databases selected: Multiple databases...


[New scholarly features & content!](#)**Results** – powered by ProQuest® Smart Search[Suggested Topics](#) [About](#)< Previous | [Next](#) >[Browse Suggested Publications](#) [About](#)< Previous | [Next](#) >[Computer peripherals AND Java](#)[M2 Presswire; Coventry](#)[Java](#)[eWeek; New York](#)[Java AND Sun Microsystems Inc \(company/org\)](#)[InfoWorld; San Mateo](#)[Java AND Software industry](#)43 documents found for: *hardware accelerator and Java* [SetupAlert](#) [About](#)[All sources](#) [Scholarly Journals](#) [Trade Publications](#) [Newspapers](#)☐ [Mark / Clear all on page](#) | [View marked documents](#)[Show all documents](#)Sort results by: [Most recent first](#)☐ 31. **Consumer corner***Jerry Ascierto. Electronic News. New York: Jun 19, 2000. Vol. 46, Iss. 25; p. 56 (2 pages)*[Full text](#)[Page Image - PDF](#)[Abstract](#)☐ 32. **MIPS TECHNOLOGIES: JEDI Technologies delivers Java acceleration solution for MIPS-based processors; JSTAR accelerator is particularly appealing for wireless Internet applications**
M2 Presswire. Coventry: Jun 15, 2000. p. 1[Full text](#)[Abstract](#)☐ 33. **JEDI Technologies Delivers Java Acceleration Solution for MIPS- Based(TM) Processors**
PR Newswire. New York: Jun 13, 2000. p. 1[Full text](#)[Abstract](#)☐ 34. **The circuit**
Arik Hesseldahl. Electronic News. New York: Mar 20, 2000. Vol. 46, Iss. 12; p. 20 (2 pages)[Full text](#)[Page Image - PDF](#)[Citation](#)☐ 35. **JEDI Technologies' Acceleration Engine Opens New Markets for Using Java(TM) Technology in Embedded Devices**
PR Newswire. New York: Mar 13, 2000. p. 1[Full text](#)[Abstract](#)☐ 36. **RSA Extends Lead in Java Security Race with BSAFE SSL-J 2.1 Software**
PR Newswire. New York: Jun 8, 1999. p. 1[Full text](#)[Abstract](#)☐ 37. **Java 3-D API aids design world, help explain emergent behavior**
Anonymous. SunServer. Sep 1998. Vol. 12, Iss. 9; p. 14 (2 pages)[Full text](#)[Page Image - PDF](#)[Abstract](#)☐ 38. **Spring Internet World '98 Exhibitor News Recap Through March 11, 1998**
Business Editors/High Tech Writers. Business Wire. New York: Mar 11, 1998. p. 1[Full text](#)[Abstract](#)☐ 39. **INFOTECH BUYLINE; [2 Edition]**
Dominion. Wellington, New Zealand: Feb 23, 1998. p. IT.24

 [Full text](#) [Abstract](#)



- ☐ 40. **NETSCAPE: Netscape launches Netscape SuiteSpot 3.5 for enterprises deploying intranets & extranets**
M2 Presswire. Coventry: Feb 10, 1998. p. 1

 [Full text](#) [Abstract](#)

- ☐ 41. **Netscape Launches Netscape(R) SuiteSpot 3.5 for Enterprises Deploying Global Intranets and Extranets**
PR Newswire. New York: Feb 9, 1998. p. 1

 [Full text](#) [Abstract](#)

- ☐ 42. **EDA community poised to pick NT over Unix**
Ronald Collett. **Electronic Engineering Times**. Manhasset: Jun 30, 1997. p. 134 (1 page)


 [Text+Graphics](#) [Page Image - PDF](#) [Citation](#)

- ☐ 43. **STM weighs Java accelerator for X86**
Peter Clarke. **Electronic Engineering Times**. Manhasset: Jul 22, 1996. p. 127

 [Full text](#) [Citation](#)

31-43 of 43

< First | < Previous 1 2 Next >

Want an alert for new results sent by email? [SetupAlert](#) [About](#)Results per page: 30 

Did you find what you're looking for? If not, revise your search below or try these suggestions:

[Suggested Topics](#) [About](#)



< Previous | Next >

[Browse Suggested Publications](#) [About](#)

< Previous | Next >

[Computer peripherals AND Java](#)[M2 Presswire; Coventry](#)[Java](#)[eWeek; New York](#)[Java AND Sun Microsystems Inc \(company/org\)](#)[InfoWorld; San Mateo](#)[Java AND Software industry](#)

Basic Search

 [Tools:](#) [Search Tips](#) [Browse Topics](#) [3 Recent Searches](#)Database:  [Select multiple databases](#)Date range: Limit results to: ☒ Full text documents only ☐ Scholarly journals, including peer-reviewed  [About](#) [More Search Options](#)Copyright © 2005 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)[Text-only interface](#)From: **ProQuest**
COMPANY



Interface language:

English



Databases selected: Multiple databases...

[New scholarly features & content!](#)
Document View
[« Back to Results](#)
[< Previous](#) Document 43 of 43

[Publisher Information](#)

☒ Mark Document

[Citation](#) , [Full Text](#)
STM weighs Java accelerator for X86
*Peter Clarke. **Electronic Engineering Times**. Manhasset: Jul 22, 1996. pg. 127*
[» Jump to full text](#)

Subjects: [ELECTRONICS](#), [SEMICONDUCTORS](#), [INDUSTRIAL TECHNOLOGY](#)

Author(s): [Peter Clarke](#)

Section: [News](#)

Publication title: [Electronic Engineering Times. Manhasset: Jul 22, 1996. pg. 127](#)

Source type: Periodical

ISSN/ISBN: 01921541

ProQuest document ID: 10661587

Text Word Count 681

Document URL: <http://proquest.umi.com/pqdweb?did=10661587&sid=3&Fmt=3&clientId=19649&RQT=309&VName=PQD>

More Like This [» Show Options for finding similar documents](#)
Full Text (681 words)
(Copyright 1996 CMP Publications, Inc. All rights reserved.)

Bristol, England - SGS-Thomson Microelectronics (STM) is pursuing the possibility of accelerating the Java language on both its 486 and ST20 RISC processors. The 486 is intended to let STM address the market for network computers, while the ST20 would target embedded applications such as set-top boxes, mobile phones, smart phones and personal digital assistants-areas where Java may become significant.

According to an STM spokesperson, a design team in Phoenix-the company's major site for the manufacture of X86 processors-is working with a number of customers on an ASIC cell that will be an accelerator for the Java virtual processor on the X86. The cell is expected to become available in the second quarter of 1997.

In essence, the coprocessor looks for those operations in Java that require a lot of CPU cycles and seeks to accelerate those.

At the same time, Bristol-based engineer Stuart Menefy is preparing a technical paper called "Efficient Implementation of Java on the ST20" for presentation at Emsys '96. Emsys is a technical conference being organized by the Open Microprocessor systems Initiative, a cluster of projects within the European Esprit collaborative R&D program. It will take place in Berlin Sept. 23 to 25. The paper compares the processing needs of Java to the capabilities of the ST20 and concludes the combination should be effective.

Nick Dunn, the STM manager responsible for the combination of Java and the ST20 within the programmable-products group, declined to comment on the status of the project.

0.35-micron process

The Java-oriented accelerator IC will use STM's 0.35-micron, five-layer-metal CMOS process. It is expected that the accelerator will allow the processing of Java programs at a speed comparable with full-featured desktop PCs, while allowing the design and manufacture of low-cost network computers.

Daniel Quesyssac, vice president responsible for STM's new ventures group, commented:"SGS-Thomson is already a major supplier of ICs for high-end computing, based on current-generation PCs, including multimedia machines. However, we do recognize the

emergence of a promising new market: the market for application-specific computing based on low-cost network computers and the Java language for Internet applications. We have all the basic ingredients to design and build a VLSI device, such as the Java hardware accelerator, and to further integrate it into a single-chip computer later on."

STM has already developed a semicustom 486 for Sichuan Ding Tian Microelectronics Co. Ltd. (Chengdu, Sichuan, China) for use in China's Multimedia Home System (MHS). The 486 core is part of a two-chip set, which includes 486DX2/4 core, a UMA chip set, an SVGA graphics engine, a DRAM controller, a PAL/NTSC encoder and an MPEG-2 decoder. It will be used as the basis for a home PC and entertainment system being designed and manufactured by Ding Tian.

Commenting on the development, Chen Ya Ping, general manager of Ding Tian, said: "The MHS project was identified as one of 52 heavyweight technological programs by the Chinese authorities, and it is the only selection in the multimedia PC area." Later, STM expects to integrate the chips into one, to which the Java accelerator could be added.

The spokesman said: "We believe such a cell is not absolutely necessary to run Java, because it {Java} is being integrated into operating systems and because it is like the C language and can be compiled 'on-the-fly'. The speed at which we develop this coprocessor will depend on what applications emerge for Java machines and the level of performance they need."

Similarly, a processor such as the ST20450 could run Java directly but could also take advantage of the accelerator-core development. "The nature of Java means it would be fairly easy to create an ST20 version of that core. But the design work has only just started, so that it can be available in the first half of 1997."

The set-top box, which could evolve into both a modem-connected network computer and a digital-TV receiver, is one place where Java could become significant. The ST20 is designed onto a number of set-top boxes. The spokesperson said: "Java's so new that people have not come up with all the applications for it."

Copyright 1996 CMP Media Inc.

[^ Back to Top](#)

[<< Back to Results](#)

[< Previous](#) Document 43 of 43

[Publisher Information](#)



☒ Mark Document

[Citation](#) , [Full Text](#)

Copyright © 2005 ProQuest Information and Learning Company. All rights reserved. [Terms and Conditions](#)

[Text-only interface](#)

From: ProQuest
COMPANY